

## **Patient information factsheet**

# Gastroscopy and endoscopic mucosal resection (G5) aftercare advice

You have had a procedure called a gastroscopy and today:	endoscopic mucosal resection	
This factsheet explains what to expect after your pro- or concerns, please contact us using the details at the		ns
Before you leave the endoscopy unit  Before you leave the endoscopy unit, we will give you:  a copy of your consent form  an advice sheet on what you should and should not d  follow-up advice  a prescription (if needed)  We will also explain what we have done today and what you		
	we have loulid.	
Patient sticker	Throat spray	
	Sedation	
	Biopsies	
	Test for Helicobacter pylori (H. pylori) bacteria	
	Dye spray	
Table completed and advice given by:  Sedation As you have had a sedative injection as part of your process.		,
capabilities may be temporarily affected. For your own sa should follow the advice below:	itety and the safety of others, you	
<ul> <li>Do not eat or drink anything until</li></ul>	r. id drink normally.	

When swallowing feels normal again, you may resume taking your usual medications

Repeat until swallowing feels normal.

(unless you have been told otherwise).

### **Patient information factsheet**

- Do not drive any type of motor vehicle or ride any type of bicycle for at least 24 hours after your procedure.
- Do **not** operate any type of electrical or mechanical equipment/machinery for at least 24 hours after your procedure.
- Do not sign any legally binding documents for at least 24 hours after your procedure.
- Do **not** drink any alcohol for at least 24 hours after your procedure.
- · Rest quietly for the remainder of the day.
- You must have a responsible adult stay with you overnight.
- You should **not** be responsible for young children, disabled or dependent relatives for at least 24 hours after your procedure.

#### Side effects

After the procedure, it is normal to experience the following side effects:

- windy, cramp-like pain
- a sore throat
- mild chest or abdominal discomfort

These side effects should settle within 24 to 48 hours.

If the pain does not settle or you are at all concerned about your recovery, please contact your general practitioner (GP) or our endoscopy unit using the details at the end of this factsheet.

#### When to seek urgent medical help

Call NHS 111 immediately or seek emergency care if you experience any:

- severe pain in your chest or upper abdomen (stomach area)
- shortness of breath
- severe bleeding

Please remember to take this factsheet with you.

#### Follow-up care

If you need any follow-up appointments at the hospital, we will send you a letter by post.

If you need to see a GP in the two weeks after your procedure, it is important that you take this factsheet with you.

#### Contact us

If you have any questions or concerns while in the endoscopy unit, please speak to a member of the healthcare team caring for you.

If you have any non-urgent questions or concerns after leaving hospital, please contact your GP or our endoscopy unit for advice.

Endoscopy unit

Telephone: **023 8120 6066** (every day, 8am to 6pm)

Outside of these hours, call NHS 111 for advice.

## **Patient information factsheet**

If you are a patient at one of our hospitals and need this document translated, or in another format such as easy read, large print, Braille or audio, please telephone **0800 484 0135** or email **patientsupporthub@uhs.nhs.uk** 

For help preparing for your visit, arranging an interpreter or accessing the hospital, please visit www.uhs.nhs.uk/additionalsupport

Join our family of charity supporters with a monthly donation! It's a wonderful way to show your ongoing support of our patients and staff.





Scan the QR code or visit southamptonhospitalscharity.org/donate